



CERTIFICATE OF REGISTRATION

This is to Certify that The Quality Management System of

YASH LAXMI ECO PACK PRIVATE LIMITED

**PLOT NO-165, KURARI, CHAW ROAD, DURGAUTI,
KURARI, KAIMUR, BIHAR- 821105, INDIA**

has been assessed and found to be in accordance with the
requirements of the system standard

ISO 9001 : 2015

For the scope of activities described below

**MANUFACTURING FACILITY OF BIODEGRADABLE
BAGASSE PULP TABLEWARE**

Certificate No.: IBP2422062

Issue Date : 03/04/2025

1st Surveillance Audit due on : 02/03/2026

Expiry Date : 02/04/2028

2nd Surveillance Audit due on : 02/03/2027

Validity of this certificate is subject to successful completion of surveillance audit on or before due date,
in case surveillance audit not conducted this certificate shall be suspended



Singh.
DIRECTOR

**Interglobal Business Process Private Limited
Accredited by Korean Accreditation Board**

PNB Complex, Harabala Road, Ulubari, Guwahati: 781007, Assam, India

Authenticity and status of this certificate can be verified at www.interglobalcertification.com or scan the barcode
This certificate is the property of Interglobal Business Process Pvt. Ltd. And should be returned to IBP in case of non-compliance of the certification procedure



Scan this code with your smart phone
to verify the certificate



Certificate of Registration

This is to certify that the OH&S Management System of
YASH LAXMI ECO PACK PRIVATE LIMITED

PLOT NO-165, KURARI, CHAW ROAD, DURGAUTI,
KURARI, KAIMUR, BIHAR- 821105, INDIA

has been independently assessed by PQC and found to comply with the
requirements of

**(OH&S-OCCUPATIONAL HEALTH & SAFETY
MANAGEMENT SYSTEM)
ISO 45001:2018**

For the following scope:

**MANUFACTURING FACILITY OF BIODEGRADABLE
BAGASSE PULP TABLEWARE.**

Certification Calendar:

Client Id: 49739

Certificate No: HB-52644/0425

Initial Registered Date: 03.04.2025

Issuance Date: 03.04.2025

Date of Expiry: 02.04.2028

1st Surv. Due: 02.04.2026

2nd Surv. Due: 02.04.2027



Authorized Signatory



www.pqcet.in

PARAMOUNT QUALITY CERTIFICATIONS

27, Old Gloucester Street, London, WC1N 3AX, United Kingdom. Email:- info@pqcet.in

Validity of this certificate is subject to successful completion of surveillance audit on or before of due date.

(In case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawal.)

Certification Verification: Please check this validity of the certificate at:- <https://pqcet.in/certified-clients/> or www.pqcet.in at Certified Client

This Certificate remains the property of PQC & shall be returned immediately upon request.



Scan this code with your smart phone
to verify the certificate



Certificate of Registration

This is to certify that the Food Safety Management System of
YASH LAXMI ECO PACK PRIVATE LIMITED

PLOT NO-165, KURARI, CHAW ROAD, DURGAUTI,
KURARI, KAIMUR, BIHAR- 821105, INDIA

has been assessed by PQC and found to comply with the requirements of

**(FOOD SAFETY MANAGEMENT SYSTEM)
ISO 22000:2018**

**For the following scope:
MANUFACTURING FACILITY OF BIODEGRADABLE
BAGASSE PULP TABLEWARE.**

Certification Calendar:

Client Id: 49739

Certificate No: FB-52642/0425

Initial Registered Date: 03.04.2025

Issuance Date: 03.04.2025

Date of Expiry: 02.04.2028

1st Surv. Due: 02.04.2026

2nd Surv. Due: 02.04.2027



ACCREDITED
Management System
Certification



Authorized Signatory

PARAMOUNT QUALITY CERTIFICATIONS

27, Old Gloucester Street, London, WC1N 3AX, United Kingdom. Email:- info@pqcert.in

Validity of this certificate is subject to successful completion of surveillance audit on or before of due date.

(In case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawal.)

Certification Verification: Please check this validity of the certificate at:- <https://pqcert.in/certified-clients/> or www.pqcert.in at Certified Client

This Certificate remains the property of PQC & shall be returned immediately upon request.





Scan this code with your smart phone
to verify the certificate



Certificate of Registration

This is to certify that the Environmental Management System of
YASH LAXMI ECO PACK PRIVATE LIMITED

PLOT NO-165, KURARI, CHAW ROAD, DURGAUTI,
KURARI, KAIMUR, BIHAR- 821105, INDIA

has been independently assessed by PQC and found to comply with the
requirements of

(ENVIRONMENTAL MANAGEMENT SYSTEM)

ISO 14001:2015

For the following scope:
MANUFACTURING FACILITY OF BIODEGRADABLE
BAGASSE PULP TABLEWARE.

Certification Calendar:

Client Id: 49739

Certificate No: EB-52643/0425

Initial Registered Date: 03.04.2025

Issuance Date: 03.04.2025

Date of Expiry: 02.04.2028

1st Surv. Due: 02.04.2026

2nd Surv. Due: 02.04.2027



ACCREDITED
Management System
Certification



Authorized Signatory

PARAMOUNT QUALITY CERTIFICATIONS

27, Old Gloucester Street, London, WC1N 3AX, United Kingdom. Email:- info@pqcert.in

Validity of this certificate is subject to successful completion of surveillance audit on or before of due date.
(In case surveillance audit is not allowed to be conducted, this certificate shall be suspended/withdrawal.)

Certification Verification: Please check this validity of the certificate at:- <https://pqcert.in/certified-clients/> or www.pqcert.in at Certified Client
This Certificate remains the property of PQC & shall be returned immediately upon request.



www.pqcert.in

TEST REPORT

Report No. : MAN:HL:1648004370

ISSUE DATE: 03-Jul-2025



YASH LAXMI ECO PACK PVT LTD
PLOT NO 124, JAWAHAR NAGAR EXTN,
BHELUPUR, VARANASI – 221010
INDIA
CONTACT PERSON: SANJAY MITTAL

THE FOLLOWING SAMPLE(S) WAS/WERE SUBMITTED AND IDENTIFIED BY/ON BEHALF OF THE CUSTOMER AS :
SAMPLE DESCRIPTION BAGASSE MOULDED TABLEWARE PRODUCTS (9" ROUND PLATE, 10" 3 CP ROUND PLATE, 12" ROUND PLATE 12" 4 CP ROUND PLATE, 180 ML BOWL, 150 ML SQUARE BOWL)
COLOUR WHITE
COUNTRY OF ORIGIN INDIA

LAB PROVIDED DETAILS:

CONDITION OF SAMPLE COMPLETE AND OK

THE LOCATION OF PERFORMANCE OF THE LABORATORY ACTIVITIES:

SGS GURUGRAM LABORATORY: EXTRACTABLE HEAVY METALS,
SGS MANESAR LABORATORY- MICROBIOLOGICAL TEST, MICROWAVE OVEN TEST, HEAT RESISTANCE

SAMPLE RECD ON 24-Jun-2025 **TESTING PERIOD :** 25-Jun-2025 - 03-Jul-2025

SUMMARY OF TEST RESULTS:

TESTS	PASS	FAIL	REMARKS
1. MATERIALS AND ARTICLES IN FOOD CONTACT (ENGLAND) REGULATION, UK STATUTORY INSTRUMENTS 2012 NO. 2619 IS ALIGNED WITH EU REG AND GUIDE ON PLACING GOODS ON UK MARKET AFTER BREXIT	--		
EXTRACTABLE HEAVY METALS	P		
2. MICROBIOLOGICAL TEST	P		
3. MICROWAVE OVEN TEST	P		
4. HEAT RESISTANCE	P		

Remarks: P=Pass

F=Fail

TEST(S) RESULT & METHOD: PLEASE REFER TO NEXT PAGE(S). RESULTS APPLY TO THE SAMPLE AS RECEIVED

Per Pro SGS India Pvt. Ltd.



PURUSHOTTAM TRIPATHI
TECHNICAL EXECUTIVE

Authorized Signatory-Mechanical

Email your Test Report Related Enquiries at Feedback.HLT@sgs.com

TEST REPORT

Report No. : MAN:HL:1648004370

ISSUE DATE: 03-Jul-2025



TEST RESULTS:

1. MATERIALS AND ARTICLES IN FOOD CONTACT (ENGLAND) REGULATION, UK STATUTORY INSTRUMENTS 2012 NO. 2619 IS ALIGNED WITH EU REG AND GUIDE ON PLACING GOODS ON UK MARKET AFTER BREXIT:

EXTRACTABLE HEAVY METALS:-

Method: With reference to EN 645:1993 (cold water extraction) and EN 647:1993 (hot water extraction). Analysis was performed by ICP-OES / ICP-MS

Test Item	Result (mg/dm ²)	Result (mg/dm ²)	Reporting Limit (mg/dm ²)	Permissible Limit (mg/dm ²)
	Hot Water	Cold Water		
Extractable Lead	Not Detected	Not Detected	0.002	0.003
Extractable Cadmium	Not Detected	Not Detected	0.001	0.002
Extractable Mercury	Not Detected	Not Detected	0.001	0.002
Conclusion	Pass	Pass	--	--

Tested Item: BAGASSE MOULDED TABLEWARE PRODUCTS

Note:

- mg/dm² = milligram per square decimeter.
- Permissible limit has been taken from UK Statutory Instruments 2012 No. 2619.
- Test has been sub-contracted to ISO/IEC 17025 accredited laboratory

2. MICROBIOLOGICAL TEST:

METHOD: Sampling with reference to ISO 18593: 2018

TEST ITEM	METHOD	TEST RESULT	UNIT
Total Plate Count	ISO 4833 : Part 1 : 2022	<10	cfu/unit
Coliforms	ISO 4831 : 2006	Absent	Per unit
Escherichia Coli	ISO 7251 : 2023	Absent	Per unit
Yeast & mould	ISO 21527: Part 1 : 2008	<10	cfu/unit
Salmonella spp	ISO 6579 Part 1 : 2017	Absent	Per unit
Pseudomonas aeruginosa	SO-IN-AFL-MNR-M-TE-013	Absent	Per unit
Staphylococcus aureus	ISO 6888 : Part 3 : 2003	Absent	Per unit

Tested Item: BAGASSE MOULDED TABLEWARE PRODUCTS

Note:

- Cfu: Colony forming unit per swab.
- Test has been sub-contracted to ISO/IEC 17025 accredited laboratory

TEST REPORT

Report No. : MAN:HL:1648004370

ISSUE DATE: 03-Jul-2025

**3. MICROWAVE OVEN TEST:**

Method: SGS-TM-HL-00123, 2017
Test Condition: Specified cycles used : 01
 No. Of Tested Sample: 01
 Each Cycle Time: 1 Min
 Substrate Used: Filled with 50% Water

Tested Name	Observation	Requirement
Microwave Oven Test	No failure observed.	No Warping, Cracking, or Significant Softening.
Conclusion	Pass	

Tested Item: BAGASSE MOULDED TABLEWARE PRODUCTS**Note :** Test performed as per customer test condition**4. HEAT RESISTANCE TEST:**

Method: SGS in house;Based on Customer Specified.
Test Condition: Filled with Hot Water (80% Capacity) and Kept for 15 Min. at 70°C

TEST NAME	TEST RESULT	REQUIREMENT
Heat Resistance Test	No Leakage observed.	Plates should retain structural integrity. No deformation, burns, or discoloration.
Conclusion	Pass	--

Tested Item: BAGASSE MOULDED TABLEWARE PRODUCTS**Note:**

- °C = Degree Celsius.
- Test condition was specified by customer.
- Above all testing has been performed as per customer request.

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer.

" Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600

TEST REPORT

Report No. : MAN:HL:1648004370

ISSUE DATE: 03-Jul-2025



Sample as Received (Tested Sample)



Sample as Received (Grouped Sample)



*****END OF REPORT*****

JOE No. : 2548802281

400518192

Page 4 of 4

Control No.:1648504782

"This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/terms> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The laboratory shall be responsible for all the information provided in the report, except when information and instruction for specific scope of testing is provided by the customer.

" Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days for all other samples from the date of issue of report. The samples from the regulatory bodies are to be retained as specified. This document cannot be reproduced, except in full, without prior written approval of the company.

Statement of conformity is based on comparison of measurement result(s) with the applicable limit(s) according to the specification in the respective standard or as shared by the customer. Measurement Uncertainty is not taken into account unless otherwise requested in writing. Sample is not drawn by the Laboratory.

Connectivity and product, Testing Laboratory, Plot no. 21, Sector 3, IMT Manesar, Gurugram District, Haryana- 122050 (India) t: (+91-124 678 7600